


2013041131



higher education & training

Department:
Higher Education and Training
REPUBLIC OF SOUTH AFRICA

T660(E)(M28)T
APRIL EXAMINATION

NATIONAL CERTIFICATE

FITTING AND MACHINING THEORY N1

(11021871)

28 March 2013 (X-Paper)
09:00–12:00

This question paper consists of 9 pages and a 1-page formula sheet.

DEPARTMENT OF HIGHER EDUCATION AND TRAINING
REPUBLIC OF SOUTH AFRICA
NATIONAL CERTIFICATE
FITTING AND MACHINING THEORY N1
TIME: 3 HOURS
MARKS: 100

INSTRUCTIONS AND INFORMATION

1. Answer ALL the questions.
 2. Read ALL the questions carefully.
 3. Number the answers according to the numbering system used in this question paper.
 4. ALL work you do not want to be marked must be clearly crossed out.
 5. ALL drawings must be neat and large.
 6. Write neatly and legibly.
-

QUESTION 1

- 1.1 Many accidents can be prevented when you are working in a safe environment.

Explain FIVE methods which you will apply to promote safe working conditions in a workshop. (5)

- 1.2 Before starting any marking-off operations, you need to study the work piece as well as the drawing and decide which side is your reference face.

Define the following terms:

1.2.1 Reference line (1)

1.2.2 Reference point (1)

- 1.3 Marking media must be used on the surface of a metal work piece so that the scribed lines will show up clearly on the surface.

Identify TWO marking-off fluids that can be used on cleaned machined surfaces. (2)

- 1.4 Some work pieces cannot be clamped in ordinary clamping devices, because of their shape.

Indicate the equipment that you will use to support a round shaft on the marking-off table. (2)

- 1.5 Write down the letters (A–E) in FIGURE 1 in the ANSWER BOOK and write only the name of the correct hand tool next to the letter (A–E).




FIGURE 1

(5)
[16]

QUESTION 2

- 2.1 Measuring instruments like micrometers are precision instruments and should be used for their intended purpose only.

Answer the questions below by making reference to FIGURE 2.




FIGURE 2

- 2.1.1 Write down the correct reading as seen in FIGURE 2. (1)
- 2.1.2 Indicate the degree of accuracy of the inside micrometer. (1)
- 2.1.3 How long is the main scale on the inside micrometer? (1)
- 2.1.4 What is the purpose of the handle supplied with the inside micrometer? (1)
- 2.2 Make a neat, enlarged drawing of only the reading of the following measuring instruments:
- 2.2.1 A metric depth micrometer : 18,24 mm (4)
- 2.2.2 A vernier protractor : 26°55' (3)
- 2.3 Choose the correct word(s) from those given in brackets. Write only the word(s) next to the question number (2.3.1–2.3.12) in the ANSWER BOOK.
- 2.3.1 Machine beds are manufactured from (grey cast iron/white cast iron/low carbon steel).
- 2.3.2 Cast steel has a (low ringing sound/dull sound/high ringing sound).
- 2.3.3 Annealing (hardens/softens/cool down) a metal when subjected to heat.

- 2.3.4 An example of a ferrous alloy is (cobalt/brass/tin).
- 2.3.5 Bronze is a non-ferrous alloy which is a combination of two non-ferrous elements that are (copper and zinc/copper and tin/tin and lead).
- 2.3.6 An example of a non-ferrous alloy is (lead/tungsten/solder).
- 2.3.7 We harden the surface of a work piece made from mild steel by (hardening/tempering/case hardening).
- 2.3.8 An example of a non-ferrous metal is (manganese/steel/bronze/aluminium).
- 2.3.9 The colour code used for structural steel is (red/blue/black).
- 2.3.10 The colour code that is used for low-carbon steel is (orange/white/green).
- 2.3.11 Nylon is classified as a (metal/alloy/plastic).
- 2.3.12 Tufnol can be used for (gears/rivets/valves).

(12 × 1)

(12)
[23]**QUESTION 3**

- 3.1 Screw threads are used when it is necessary to assemble and dismantle components quickly and easily.

Indicate TWO applications where the following screw threads are used:

- 3.1.1 Square-screw thread (2)
- 3.1.2 Acme-screw thread (2)
- 3.2 Explain the difference between a left-hand and a right-hand screw thread. (2)
- 3.3 There are different types of keys available in industry and each having their own specific application.
- Explain where the following keys will be used:
- 3.3.1 Rectangular key
- 3.3.2 Taper gib-head key

3.3.3 Feather key

3.3.4 Woodruff key

(4 × 1) (4)

3.4 Calculate the height and the width of a feather key, when a 48 mm diameter shaft must be keyed to a pulley. (2)

3.5 Write the letters (A–D) in FIGURE 3 in the ANSWER BOOK, identify and write the correct screw thread fastener next to each letter. (4)




FIGURE 3

(4)

3.6 Reamers are used to shape and enlarge holes. (3)

Indicate THREE types of reamers that are used in industry. (3)

3.7 Explain the function of stocks and dies. (1)

3.8 Taps have different shapes and sizes depending on the purpose of the tool. When would you use a plug tap? (1)

[21]

QUESTION 4

4.1 Sensitive drilling machines can drill holes up to 12 mm in diameter. Explain what is meant by the term *sensitive drilling machine*. (2)

4.2 The modern twist-drill comes from a cylindrical blank which carries two helical grooves machined into it to form the flutes. (2)

State TWO functions of helical grooves that are found on a modern twist drill.

4.3 A 15 mm diameter hole must be drilled in a piece of metal and the cutting speed is given as 600 mm/s.

Calculate the speed of the drill in revolutions per minute. (3)

- 4.4 There are safety precautions you should take before you start operating a centre lathe, which can perform various types of operations.

Indicate THREE types of operations that can be done on a lathe. (3)

- 4.5 When turning long shafts it is necessary to lend additional support to the work piece to prevent it from bending.

Identify TWO types of lathe steadies used to support work pieces on a centre lathe. (2)

- 4.6 The computerised numerical controlled lathe is commonly known as the CNC lathe, which is a high precision machine.

State THREE advantages of the CNC lathe when compared to a conventional centre lathe. (3)

- 4.7 FIGURE 4 indicates various types of centre lathe cutting tools. Write down the letters (A–E) in the ANSWER BOOK and identify the cutting tools.




FIGURE 4

(5)
[20]

QUESTION 5

- 5.1 The compensating link makes the back and forth movement on a shaping machine possible.

Write the letters (A–E) in FIGURE 5 in the ANSWER BOOK and write the names of the components that make up the compensation link.




FIGURE 5

(5)

- 5.2 The following information was given to an apprentice to machine a cast iron block:

Length of the work piece – 225 mm
 Width of the work piece – 240 mm
 Cutting speed – 15 m/min
 Table feed – 2 mm/stroke
 Total clearance – 25 mm
 Stroke ratio – 2 : 1

Calculate the total time needed for one cut across the work piece.

(3)

- 5.3 The milling machine is a key piece of equipment in any modern workshop and it is very versatile.

Explain the function of the following components of a milling machine:

- 5.3.1 Overarm
 5.3.2 Bracing arms
 5.3.3 Table trips
 5.3.4 Adjustable footstock
 5.3.5 Spindle

5.3.6	Arbor		
5.3.7	Arbor support		
5.3.8	Column	(8 × 1)	(8)
5.4	State FOUR factors that you must consider when selecting the correct type of grinding wheel to perform a specific task.		(4) [20]
		TOTAL:	100

FITTING AND MACHINING THEORY N1**FORMULA SHEET**

Any applicable formula may also be used.

1. $V = \pi \times D \times N$

2. $w = \text{feed/stroke} \times \text{strokes/min} \times t$
 $w = \text{toevoer/slag} \times \text{slae/min} \times t$

3. $\text{Strokes/min} = \frac{S}{\text{Length of stroke}} \times \text{Ratio}$

$$\text{Slae/min} = \frac{S}{\text{Lengte van slag}} \times \text{Verhouding}$$

4. $h = \frac{D}{6}$

5. $w = \frac{D}{4}$